

CORRES CONTROL  
INCOMING LTR NO

02400RF95

DUE  
DATE

ACTION

DIST	LTR	ENC
BORGMAN, KA		
BUHL, TR		
BURKHART, KM		
CARD, RG	X	
EVANS, BL		
FENN, TM		
FERRERA, DW		
GRANT, BA	X	
HEALY, TJ		
HILL, JA	X	
KELL, RE		
MANI, V		
MARTINEZ, LA		
MCGOVERN, LJ		
MCKIBBIN, JG		
OKEY, R		
O'BRIEN, GD		
PANGERSIS, PA		
RICHEY, CL		
SANDLIN, NB		
SHUMWAY, WK		
TUOR, NR		
TURNER, KA		
VOORHEIS, GM		
WALLER, CA		
HEDAH, T	X	
Peter, R	X	
Leah, R	X	
SHULTON, B	X	
Ho/STEEN, N	X	

CORRES CONTROL	X	X
ADMIN RECORD/080		
PATS/T130G		

Reviewed for Addressee  
Corres Control RFP

9/29/95  
DATE BY

Ref Ltr #

DOE ORDER # 5480.12



Department of Energy

ROCKY FLATS OFFICE  
P O BOX 928  
GOLDEN COLORADO 80402-0928

SEP 27 1995

95-DOE-14161

Mr Martin Hestmark  
U S Environmental Protection Agency, Region VIII  
ATTN Rocky Flats Project Manager, 8HWM-RI  
999 18th Street, Suite 500, 8WM-C  
Denver, Colorado 80202-2405

Mr Joe Schieffelin, Unit Leader  
Hazardous Waste Control Program  
Colorado Department of Public Health and Environment  
4300 Cherry Creek Drive South  
Denver, Colorado 80222-1530

Gentlemen

Enclosed for your review and comment is a copy of the Draft Operable Unit (OU) 6, Walnut Creek Priority Drainage, RCRA Facilities Investigation/Remedial Investigation (RFI/RI) Report Appendix J of the Report (Baseline Health Risk Assessment) was previously submitted for early review (95-DOE-14095) on August 25, 1995 Please provide any questions or comments back to the Department of Energy (DOE) by December 5, 1995 DOE is performing an internal concurrent review of the document over this same period A timely submittal of your questions and comments will allow DOE to complete the final version of the document by February 21, 1996

Submittal of this document meets the submittal date of October 2, 1995, as amended, in Table 6 of the Interagency Agreement

The DOE appreciates the efforts of the OU 6 Joint Working Group If you have any specific questions please contact Dave George at 966-5669

Sincerely,

*Steven W Slaten*  
Steven W Slaten  
IAG Project Coordinator  
Environmental Programs

Enclosure



ADMIN RECORD

A-UUOG 000578

1/3



Department of Energy


ROCKY FLATS OFFICE  
P.O. BOX 928  
GOLDEN COLORADO 80402 0928

SEP 27 1995

95-DOE-14161

Mr. Martin Hestmark  
U.S. Environmental Protection Agency, Region VIII  
ATTN: Rocky Flats Project Manager, 8HWM-RI  
999 18th Street, Suite 500, 8WM-C  
Denver, Colorado 80202-2405

Mr. Joe Schieffelin, Unit Leader  
Hazardous Waste Control Program  
Colorado Department of Public Health and Environment  
4300 Cherry Creek Drive South  
Denver, Colorado 80222-1530




Gentlemen

Enclosed for your review and comment is a copy of the Draft Operable Unit (OU) 6, Walnut Creek Priority Drainage, RCRA Facilities Investigation/Remedial Investigation (RFI/RI) Report Appendix J of the Report (Baseline Health Risk Assessment) was previously submitted for early review (95-DOE-14095) on August 25, 1995. Please provide any questions or comments back to the Department of Energy (DOE) by December 5, 1995. DOE is performing an internal concurrent review of the document over this same period. A timely submittal of your questions and comments will allow DOE to complete the final version of the document by February 21, 1996.

Submittal of this document meets the submittal date of October 2, 1995, as amended, in Table 6 of the Interagency Agreement.

The DOE appreciates the efforts of the OU 6 Joint Working Group. If you have any specific questions, please contact Dave George at 966-5669.

Sincerely,

  
Steven W. Slaten  
IAG Project Coordinator  
Environmental Programs

Enclosure



Department of Energy

ROCKY FLATS OFFICE  
P O BOX 928  
GOLDEN COLORADO 80402-0928

SEP 27 1995

95-DOE-14161

*Zeck WEF*

SEP 28 1995

Mr Martin Hestmark  
U S Environmental Protection Agency, Region VIII  
ATTN Rocky Flats Project Manager, 8HWM-RI  
999 18th Street, Suite 500, 8WM-C  
Denver, Colorado 80202-2405

Mr. Joe Schieffelin, Unit Leader  
Hazardous Waste Control Program  
Colorado Department of Public Health and Environment  
4300 Cherry Creek Drive South  
Denver, Colorado 80222-1530

Gentlemen

Enclosed for your review and comment is a copy of the Draft Operable Unit (OU) 6, Walnut Creek Priority Drainage, RCRA Facilities Investigation/Remedial Investigation (RFI/RI) Report Appendix J of the Report (Baseline Health Risk Assessment) was previously submitted for early review (95-DOE-14095) on August 25, 1995 Please provide any questions or comments back to the Department of Energy (DOE) by December 5, 1995 DOE is performing an internal concurrent review of the document over this same period A timely submittal of your questions and comments will allow DOE to complete the final version of the document by February 21, 1996

Submittal of this document meets the submittal date of October 2, 1995, as amended, in Table 6 of the Interagency Agreement.

The DOE appreciates the efforts of the OU 6 Joint Working Group If you have any specific questions, please contact Dave George at 966-5669

Sincerely,

*Steven W. Slaten*

Steven W Slaten  
IAG Project Coordinator  
Environmental Programs

Enclosure